

# BIBLIOGRAFÍA

- 1.- Chenoweth JA, Albertson TE, Greer MR. Carbon monoxide poisoning. *Crit Care Clin.* 2021; 37 (3): 657-672.
- 2.- Vázquez Lima MJ, Álvarez Rodríguez C, Cruz Landeira A, López Rivadulla M. Intoxicaciones inadvertidas por monóxido de carbono: una epidemia oculta. *Rev. Toxicol.* 2015; 32: 98-101
- 3.- Kinoshita H, Türkan H, Vucinic S et al. Carbon monoxide poisoning. *Toxicol Rep.* 2020; 7: 169-173.
- 4.- Estandick [Internet]. El arte de fumar en shisha o cachimba. [citado el 16 de abril de 2023]. Disponible en: [https://estandick.es/tienda/blog/61\\_el-arte-de-fumar-en-shisha-o-cachimba.html](https://estandick.es/tienda/blog/61_el-arte-de-fumar-en-shisha-o-cachimba.html)
- 5.- Knishkowsky B, Amitai Y. Water-pipe (narghile) smoking: an emerging health risk behavior. *Pediatrics* 2005; 116: e113-9.
- 6.- Soule EK, Lipato T, Eissenberg T. Waterpipe tobacco smoking: a new smoking epidemic among the young? *Curr Pulmonol Rep* 2015; 4: 163-72.
- 7.- Cobb C, Ward KD, Maziak W, et al. Waterpipe tobacco smoking: an emerging health crisis in the United States. *Am J Health Behav* 2010; 34: 275-85.
- 8.- Maziak W. The global epidemic of waterpipe smoking. *Addict Behav* 2011; 36: 1-5.
- 9.- Muka T, Glisic M, Milic J et al. A 24-step guide on how to design, conduct, and successfully publish a systematic review and meta-analysis in medical research. *Eur J Epidemiol.* 2020; 35: 49-60.
- 10.- Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group (2009). Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *PLoS Med* 6(7): e1000097. doi:10.1371/journal.pmed1000097
- 11.- Downs SH, Black N. The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions. *J Epidemiol Commun Health.* 1998; 52: 377–384.
- 12.- Anaqrah H, McCabe DJ. Severe chronic carboxyhemoglobinemia and polycythemia due to smoking hookah. *Am J Emerg Med.* 2022; 55: 226.e1-226.e2. doi: 10.1016/j.ajem.2021.12.050
- 13.- Moodley T, Mannaru KT, Hugo A et al. Secondary polycythaemia with elevated carbon monoxide levels due to hookah pipe smoking: A public health concern. *S Afr Med J.* 2021; 111: 938-941
- 14.- Supervía A, De Paz Picornell R, Córdoba F et al. Intoxicación por monóxido de carbono en usuarios de pipas de agua. *Emergencias.* 2021; 33: 320-321

- 15.- Cazes N, Duchier C, Beaume S et al. Think about acute shisha carbon monoxide intoxication: that's one small step for the patient, one giant leap for our society. *Am J Emerg Med.* 2021; 39: 257. e3-257.e5. doi: 10.1016/j.ajem.2020.07.017
- 16.- de Suremain N, Ngo J, Loschi S, et al. Carbon monoxide poisoning from waterpipe (narghile) smoking in a child. *Arch Pediatr* 2019; 26: 44-7
- 17.- Verweij BGF, Rood PPM, Schuit SCE, Bouwhuis MG. Waterpipe smoking: not as innocent as it may seem. *Neth J Med.* 2019; 77: 156-159.
- 18.- Maalem R, Alali A, Alqahtani S. Tobacco hookah smoking-induced carbon monoxide poisoning: A case report of non-ambient exposure. *Clin Case Rep.* 2019; 7:1178-1180.
- 19.- Kocak AO, Akbaş I, Cakır Z. Carbon monoxide poisoning due to water pipe smoking: case series. *J Emerg Med Case Rep* 2017; 8: 27-30.
- 20.- Veen M. Carbon monoxide poisoning caused by water pipe smoking: a case series. *J Emerg Med* 2016; 51: e41- 4.
- 21.- Ateş A, Arikan M, Özgök A. An unusual cause of carbon monoxide poisoning: narghile smoking. *Am J Case Rep.* 2016; 17: 660-2
- 22.- Wang LW, He EY, Ghosh D et al. Severe carbon monoxide poisoning from waterpipe smoking: a public health concern. *Med J Aust.* 2015; 202: 446-7.
- 23.- von Rappard J, Schönenberger M, Bärlocher L. Carbon monoxide poisoning following use of a water pipe/hookah. *Dtsch Arztebl Int.* 2014; 111: 674-9.
- 24.- Misek R, Patte C. Carbon monoxide toxicity after lighting coals at a hookah bar. *J Med Toxicol* 2014; 10: 295-8.
- 25.- Karaca Y, Eryigit U, Aksut N, et al. Syncope associated with waterpipe smoking. *BMJ Case Rep* 2013; 19: 2013
- 26.- Ozkan S, Ozturk T, Ozmen Y, Durukan P. Syncope associated with carbon monoxide poisoning due to narghile smoking. *Case Rep Emerg Med.* 2013; 2013: 796857.
- 27.- Clarke SF, Stephens C, Farhan M, et al. Multiple patients with carbon monoxide toxicity from water-pipe smoking. *Prehosp Disaster Med* 2012; 27:612-4.
- 28.- Ashurst JV, Urquhart M, Cook MD. Carbon monoxide poisoning secondary to hookah smoking. *J Am Osteopath Assoc.* 2012; 112: 686-8.
- 29.- La Fauci G, Weiser G, Steiner IP, Shavit I. Carbon monoxide poisoning in narghile (water pipe) tobacco smokers. *CJEM.* 2012; 14 :57-9
- 30.- Arziman I, Acar YA, Yildirim AO, et al. Five cases of carbon monoxide poisoning due to narghile (shisha). *Hong Kong J Emerg Med* 2011; 18: 254-7.

- 31.- Türkmen S, Eryigit U, Sahin A, et al. Carbon monoxide poisoning associated with water pipe smoking. *Clin Toxicol (Phila)* 2011; 49: 697-8.
- 32.- Höjer J, Enghag M. Carbon monoxide poisoning caused by waterpipe smoking. *Clin Toxicol (Phila)* 2011; 49: 702-3.
- 33.- Cavus UY, Rehber ZH, Ozeke O, et al. Carbon monoxide poisoning associated with narghile use. *Emerg Med J* 2010; 27: 406.
- 34.- Lim BL, Lim GH, Seow E. Case of carbon monoxide poisoning after smoking shisha. *Int J Emerg Med* 2009; 2:121-2.
- 35.- Al-Moamary MS, Al-Shammary AS, Al-Shimemeri AA et al. Complications of carbon monoxide poisoning. *Saudi Med J.* 2000; 21: 361-3.
- 36.- Centers for Disease Control (CDC). Elevated intraoperative blood carboxyhemoglobin levels in surgical patients-Georgia, Illinois, and North Carolina. *MMWR Morb Mortal Wkly Rep.* 1991; 40: 248-9.
- 37.- Nguyen V, Salama M, Fernandez D et al. Comparison between carbon monoxide poisoning from hookah smoking versus other sources. *Clin Toxicol (Phila).* 2020; 58: 1320-1325.
- 38.- Rostron BL, Wang B, Liu ST. Waterpipe or hookah-related poisoning events among U.S. adolescents and young adults. *J Adolesc Health.* 2019; 64: 800-803.
- 39.- Eichhorn L, Michaelis D, Kemmerer M, Jüttner B, Tetzlaff K. Carbon monoxide poisoning from waterpipe smoking: a retrospective cohort study. *Clin Toxicol (Phila).* 2018; 56: 264-272.
- 40.- Inyang NA, Chang JT, Wang B. National Estimates of hospital emergency department visits due to acute injuries associated with hookah smoking, United States, 2011-2019. *Inj Epidemiol.* 2020; 7: 41. doi: 10.1186/s40621-020-00267-w.
- 41- Rose JJ, Wang L, Xu Q et al. Carbon Monoxide Poisoning: Pathogenesis, Management, and Future Directions of Therapy. *Am J Respir Crit Care Med.* 2017; 195: 596-606.
- 42.- Smith JR, Landaw SA. Smokers' polycythemia. *N Engl J Med.* 1978; 298: 6-10.
- 43.- Woodward A. Is passive smoking in the workplace hazardous to health? *Scand J Work Environ Health.* 1991; 17: 293-301.
- 44.- Wright J. Chronic and occult carbon monoxide poisoning: we don't know what we're missing. *Emerg Med J.* 2002;19: 386-90.
- 45.- Eissenberg T, Shihadeh A. Waterpipe tobacco and cigarette smoking: direct comparison of toxicant exposure. *Am J Prev Med.* 2009; 37: 518–23.
- 46.- Martinasek MP, Ward KD, Calvanese AV. Change in carbon monoxide exposure among waterpipe bar patrons. *Nicotine Tob Res* 2014; 16: 1014-9.

47.- Maziak W, Ward KD, Eissenberg T. Factors related to frequency of narghile (waterpipe) use: the first insights on tobacco dependence in narghile users. Drug Alcohol Depend. 2004; 76: 101-106.