

## Supplemental Material

### **Deletions of specific exons of *FHOD3* detected by next-generation-sequencing are associated with hypertrophic cardiomyopathy**

**Table S1:** List of 213 genes related to inherited cardiovascular diseases and sudden death included in the custom probe library

Name	Description
<i>AARS2</i>	Alanine-tRNA ligase, mitochondrial
<i>ABCC9</i>	ATP-binding cassette, sub-family C (CFTR/MRP), member 9
<i>ACAD9</i>	Acyl-CoA dehydrogenase family member 9, mitochondrial
<i>ACADM</i>	Medium-chain specific acyl-CoA dehydrogenase, mitochondrial
<i>ACADVL</i>	Very long-chain specific acyl-CoA dehydrogenase, mitochondrial
<i>ACTA1</i>	Actin, alfa 1, skeletal muscle
<i>ACTA2</i>	Actin, aortic smooth muscle
<i>ACTC1</i>	Actin, alpha cardiac muscle 1
<i>ACTN2</i>	Alpha-actinin-2
<i>ACVRL1</i>	Serine/threonine-protein kinase receptor R3
<i>ADAMTSL4</i>	ADAMTS-like protein 4
<i>AGK</i>	Acylglycerol kinase, mitochondrial
<i>AGL</i>	Glycogen debranching enzyme
<i>AGPAT2</i>	1-acyl-sn-glycerol-3-phosphate acyltransferase beta
<i>AKAP9</i>	A-kinase anchor protein 9
<i>ALMS1</i>	Alstrom syndrome protein 1
<i>ANK2</i>	Ankyrin 2
<i>ANK3</i>	Ankyrin-3
<i>ANKRD1</i>	Ankyrin repeat domain-containing protein 1
<i>APOA5</i>	Apolipoprotein A-V
<i>APOB</i>	Apolipoprotein B-100
<i>APOC3</i>	Apolipoprotein C-III
<i>ATPAF2</i>	ATP synthase mitochondrial F1 complex assembly factor 2
<i>BAG3</i>	BAG family molecular chaperone regulator 3
<i>BMPR1B</i>	Bone morphogenetic protein receptor type-1B
<i>BMPR2</i>	Bone morphogenetic protein receptor type II
<i>BRAF</i>	Serine/threonine-protein kinase B-raf
<i>BSCL2</i>	Serpin
<i>CACNA1C</i>	Voltage-dependent L-type calcium channel subunit alpha-1C
<i>CACNA1D</i>	Voltage-dependent L-type calcium channel subunit alpha-1D
<i>CACNA2D1</i>	Voltage-dependent calcium channel subunit alpha-2/delta-1
<i>CACNB2</i>	Voltage-dependent L-type calcium channel subunit beta-2
<i>CALM1</i>	Calmodulin
<i>CALM2</i>	Calmodulin
<i>CALR3</i>	Calreticulin 3
<i>CAPN3</i>	Calpain-3
<i>CASQ2</i>	Calsequestrin-2

Name	Description
<b>CAV1</b>	Caveolin-1
<b>CAV3</b>	Caveolin-3
<b>CBL</b>	E3 ubiquitin-protein ligase CBL
<b>CBS</b>	Cystathionine beta-synthase
<b>CETP</b>	Cholestryl ester transfer protein
<b>COL1A1</b>	Collagen alpha-1(I) chain
<b>COL1A2</b>	Collagen alpha-2(I) chain
<b>COL3A1</b>	Collagen alpha-1(III) chain
<b>COL5A1</b>	Collagen alpha-1(V) chain
<b>COL5A2</b>	Collagen alpha-2(V) chain
<b>COQ2</b>	4-hydroxybenzoate polyprenyltransferase, mitochondrial
<b>COX15</b>	Cytochrome c oxidase assembly protein COX15 homolog
<b>COX6B1</b>	Cytochrome c oxidase subunit 6B1
<b>CRELD1</b>	Cysteine-rich with EGF-like domain protein 1
<b>CRYAB</b>	Alpha-crystallin B chain
<b>CSRP3</b>	Cysteine and glycine-rich protein 3
<b>CTF1</b>	Cardiotrophin 1
<b>CTNNA3</b>	Catenin alpha-3
<b>DES</b>	Desmin
<b>DLD</b>	Dihydrolipoyl dehydrogenase, mitochondrial
<b>DMD</b>	Dystrophin
<b>DNAJC19</b>	Mitochondrial import inner membrane translocase subunit TIM14
<b>DOLK</b>	Dolichol kinase
<b>DSC2</b>	Desmocollin 2
<b>DSG2</b>	Desmoglein 2
<b>DSP</b>	Desmoplakin
<b>DTNA</b>	Dystrobrevin alpha
<b>ELN</b>	Elastin
<b>EMD</b>	Emerin
<b>ENG</b>	Endoglin
<b>EYA4</b>	Eyes absent homolog 4
<b>FAH</b>	Fumarylacetoacetate
<b>FBN1</b>	Fibrillin 1
<b>FBN2</b>	Fibrillin 2
<b>FHL1</b>	Four and a half LIM domains protein 1
<b>FHL2</b>	Four and a half LIM domains 2
<b>FHOD3</b>	FH1/FH2 domain-containing protein 3
<b>FKRP</b>	Fukutin-related protein
<b>FKTN</b>	Fukutin
<b>FLNA</b>	Filamin-A
<b>FLNC</b>	Filamin-C
<b>FOXD4</b>	Forkhead box protein D4
<b>GAA</b>	Lysosomal alpha-glucosidase
<b>GATA4</b>	Transcription factor GATA-4
<b>GATA6</b>	Transcription factor GATA-6
<b>GATAD1</b>	GATA zinc finger domain-containing protein 1

Name	Description
<b>GDF2</b>	Growth/differentiation factor 2
<b>GFM1</b>	Elongation factor G, mitochondrial
<b>GJA1</b>	Gap junction alpha-1 protein
<b>GJA5</b>	Gap junction alpha-5 protein
<b>GLA</b>	Alpha-galactosidase A
<b>GLB1</b>	Beta-galactosidase
<b>GNPTAB</b>	N-acetylglucosamine-1-phosphotransferase subunits alpha/beta
<b>GPD1L</b>	Glycerol-3-phosphate dehydrogenase 1-like protein
<b>GUSB</b>	Beta-glucuronidase
<b>HCN4</b>	Potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 4
<b>HFE</b>	Hereditary hemochromatosis protein
<b>HRAS</b>	GTPase HRas
<b>JAG1</b>	Jagged-1
<b>JPH2</b>	Junctophilin 2
<b>JUP</b>	Junction plakoglobin
<b>KCNA5</b>	Potassium voltage-gated channel subfamily A member 5
<b>KCND3</b>	Potassium voltage-gated channel subfamily D member 3
<b>KCNE1</b>	Potassium voltage-gated channel subfamily E member 1
<b>KCNE1L</b>	Potassium voltage-gated channel subfamily E member 1-like protein
<b>KCNE2</b>	Potassium voltage-gated channel subfamily E member 2
<b>KCNE3</b>	Potassium voltage-gated channel subfamily E member 3
<b>KCNH2</b>	Potassium voltage-gated channel subfamily H member 2
<b>KCNJ2</b>	Inward rectifier potassium channel 2
<b>KCNJ5</b>	G protein-activated inward rectifier potassium channel 4
<b>KCNJ8</b>	ATP-sensitive inward rectifier potassium channel 8
<b>KCNK3</b>	Potassium channel subfamily K member 3
<b>KCNQ1</b>	Potassium voltage-gated channel subfamily KQT member 1
<b>KLF10</b>	Krueppel-like factor 10
<b>KRAS</b>	GTPase KRas
<b>LAMA2</b>	Laminin subunit alpha-2
<b>LAMA4</b>	Laminin subunit alpha-4
<b>LAMP2</b>	Lysosome-associated membrane glycoprotein 2
<b>LDB3</b>	LIM domain-binding protein 3
<b>LDLR</b>	Low density lipoprotein receptor
<b>LIAS</b>	Lipoyl synthase, mitochondrial
<b>LMNA</b>	Prelamin-A/C
<b>LRP6</b>	Low-density lipoprotein receptor-related protein 6
<b>MAP2K1</b>	Dual specificity mitogen-activated protein kinase kinase 1
<b>MAP2K2</b>	Dual specificity mitogen-activated protein kinase kinase 2
<b>MIB1</b>	E3 ubiquitin-protein ligase MIB1
<b>MLYCD</b>	Malonyl-CoA decarboxylase, mitochondrial
<b>MRPL3</b>	39S ribosomal protein L3, mitochondrial
<b>MRPS22</b>	28S ribosomal protein S22, mitochondrial
<b>MTO1</b>	Protein MTO1 homolog, mitochondrial
<b>MURC</b>	Muscle-related coiled-coil protein
<b>MYBPC3</b>	Myosin-binding protein C, cardiac-type

Name	Description
<b>MYH11</b>	Myosin, heavy chain 11, smooth muscle
<b>MYH6</b>	Myosin, heavy chain 6, cardiac muscle, alpha
<b>MYH7</b>	Myosin, heavy chain 7, cardiac muscle, beta
<b>MYL2</b>	Myosin regulatory light chain 2, ventricular/cardiac muscle isoform
<b>MYL3</b>	Myosin light chain 3
<b>MYLK</b>	Myosin light chain kinase, smooth muscle
<b>MYLK2</b>	Myosin light chain kinase 2, skeletal/cardiac muscle
<b>MYOT</b>	Myotilin
<b>MYOZ2</b>	Myozenin 2
<b>MYPN</b>	Myopalladin
<b>NEBL</b>	Nebulette
<b>NEXN</b>	Nexilin
<b>NKX2-5</b>	Homeobox protein Nkx-2.5
<b>NOTCH1</b>	Neurogenic locus notch homolog protein 1
<b>NOTCH3</b>	Neurogenic locus notch homolog protein 3
<b>NPPA</b>	Atrial natriuretic factor
<b>NRAS</b>	GTPase NRas
<b>OBSL1</b>	Obscurin-like protein 1
<b>PCSK9</b>	Proprotein convertase subtilisin/kexin type 9
<b>PDHA1</b>	Pyruvate dehydrogenase E1 component subunit alpha, somatic form, mitochondrial
<b>PDLIM3</b>	PDZ and LIM domain protein 3
<b>PHKA1</b>	Phosphorylase b kinase regulatory subunit alpha, skeletal muscle isoform
<b>PITX2</b>	Pituitary homeobox 2
<b>PKP2</b>	Plakophilin 2
<b>PLN</b>	Cardiac phospholamban
<b>PLOD1</b>	Procollagen-lysine,2-oxoglutarate 5-dioxygenase 1
<b>PMM2</b>	Phosphomannomutase 2
<b>PRDM16</b>	PR domain zinc finger protein 16
<b>PRKAG2</b>	5'-AMP-activated protein kinase subunit gamma-2
<b>PRKG1</b>	cGMP-dependent protein kinase 1
<b>PSEN1</b>	Presenilin-1
<b>PSEN2</b>	Presenilin 2
<b>PTPN11</b>	Tyrosine-protein phosphatase non-receptor type 11
<b>RAF1</b>	RAF proto-oncogene serine/threonine-protein kinase
<b>RANGRF</b>	Ran guanine nucleotide release factor
<b>RBM20</b>	Probable RNA-binding protein 20
<b>RYR2</b>	Ryanodine receptor 2
<b>SCN10A</b>	Sodium channel protein type 10 subunit alpha
<b>SCN1B</b>	Sodium channel subunit beta-1
<b>SCN2B</b>	Sodium channel subunit beta-2
<b>SCN3B</b>	Sodium channel subunit beta-3
<b>SCN4B</b>	Sodium channel subunit beta-4
<b>SCN5A</b>	Sodium channel protein type 5 subunit alpha
<b>SGCA</b>	Alpha-sarcoglycan
<b>SGCB</b>	Beta-sarcoglycan
<b>SGCD</b>	Delta-sarcoglycan

Name	Description
<b>SHOC2</b>	Leucine-rich repeat protein SHOC-2
<b>SKI</b>	Ski oncogene
<b>SLC22A5</b>	Solute carrier family 22 member 5
<b>SLC25A4</b>	ADP/ATP translocase 1
<b>SLC2A10</b>	Solute carrier family 2, facilitated glucose transporter member 10
<b>SLMAP</b>	Sarcolemmal membrane-associated protein
<b>SMAD1</b>	Mothers against decapentaplegic homolog 1
<b>SMAD3</b>	Mothers against decapentaplegic homolog 3
<b>SMAD4</b>	Mothers against decapentaplegic homolog 4
<b>SMAD9</b>	Mothers against decapentaplegic homolog 9
<b>SNTA1</b>	Alpha-1-syntrophin
<b>SOS1</b>	Son of sevenless homolog 1
<b>SPRED1</b>	Sprouty-related, EVH1 domain-containing protein 1
<b>SURF1</b>	Surfeit locus protein 1
<b>TAZ</b>	Tafazzin
<b>TBX1</b>	T-box transcription factor TBX1
<b>TBX20</b>	T-box transcription factor TBX20
<b>TBX5</b>	T-box transcription factor TBX5
<b>TCAP</b>	Telethonin
<b>TGFB2</b>	Transforming growth factor beta-2
<b>TGFB3</b>	Transforming growth factor, beta 3
<b>TGFBR1</b>	TGF-beta receptor type-1
<b>TGFBR2</b>	TGF-beta receptor type-2
<b>TMEM43</b>	Transmembrane protein 43
<b>TMEM70</b>	Transmembrane protein 70, mitochondrial
<b>TMPO</b>	Thymopoietin
<b>TNNC1</b>	Troponin C, slow skeletal and cardiac muscles
<b>TNNI3</b>	Troponin I, cardiac muscle
<b>TNNT2</b>	Troponin T, cardiac muscle
<b>TPM1</b>	Tropomyosin alpha-1 chain
<b>TRDN</b>	Triadin
<b>TRIM63</b>	E3 ubiquitin-protein ligase TRIM63
<b>TRPM4</b>	Transient receptor potential cation channel subfamily M member 4
<b>TSFM</b>	Elongation factor Ts, mitochondria
<b>TTN</b>	Titin
<b>TTR</b>	Transthyretin
<b>TXNRD2</b>	Thioredoxin reductase 2, mitochondrial
<b>VCL</b>	Vinculin

**Table S2:** Primers used in this study.

Primer name	Sequence	Method	Use	Case
FHOD3-EX15DEL-F95418-2-FW-P-2	TCTGACTTCATGCATCCTGTTT	AMPLICON-BASED NGS	PCR	CASE 1
FHOD3-EX15DEL-F95418-2-RV-P-2	ATTTCCTGGGTACTGATAACTGGA	AMPLICON-BASED NGS	PCR	CASE 1
FHOD3-EX15DEL-F95418-3-FW-PSQ	TGTTGATTAGGTTGGCTGGATA	SANGER	PCR/SQ	CASE 1
FHOD3-EX15DEL-F95418-3-RV-PSQ	TCTCTGAATTTCCATGTATTCACT	SANGER	PCR/SQ	CASE 1
FHOD3-EX15DEL-DECODE-RV-P	GAGAAGGCTCTGCCCGGCTCACACTCCGGCTTCTC	PATENTED-BASED NGS	PCR	CASE 2, CASE 3
FHOD3-EX15_16DEL-F98476-FW-PSQ	ACCCTTAAATGTATTCTAATTGTCCA	SANGER	PCR/SQ	CASE 2
FHOD3-EX15_16DEL-F98476-RV-PSQ	CTGATAAAAGGTGTAGTGCATGTAT	SANGER	PCR/SQ	CASE 2
FHOD3-EX15_16DEL-F98593-FW-P	ACAGTAAACTGTTCTTAATATTCAGCATT	SANGER	PCR	CASE 3
FHOD3-EX15_16DEL-F98593-RV-P	CAGCCTGGCTCATTCTTACT	SANGER	PCR/SQ	CASE 3
FHOD3-EX15_16DEL-F98593-FW-SQ	GCAGAGGTAGCCATGGTTT	SANGER	SQ	CASE 3

**Table S3:** Identified variants according to HGVS nomenclature.

Case	NC_000018.9	NM_001281740.2
1	g.34,260,087_34,262,764delins27	c.1,836-1,312_1,970+1,231delins27
2	g.34,259,872_34,271,130del	c.1,836-1,527_2,022-2,042del
3	g.34,258,856_34,269,358delins100	c.1,836-2,543_2,021+2,217delins100

**Figure S1:** DNA-sequence-assembly from the three cases. The image shows a highly enriched in LINE and SINE elements region with absence of segmental duplications at chromosome band 18q12.2. Screenshot was captured from the UCSC Genome Browser (9). Blue boxes are exons and thin lines are introns. Black boxes represent aligning regions and single lines connecting black boxes represent gaps that are due to deletions. Double lines represent more complex gaps.

