



ORIGINAL ARTICLE

A Delphi study to identify and assess professional competencies in the education of optometrists



Guadalupe Rodríguez-Zarzuelo^{a,*}, Ángela Gómez-Niño^{b,c}, Raúl Martín-Herranz^{a,d}

^a Grupo de Investigación en Optometría. Instituto Universitario de Oftalmobiología Aplicada (IOBA), Universidad de Valladolid, Valladolid, Spain

^b Departamento de Biología Celular, Histología y Farmacología. Universidad de Valladolid, Valladolid, Spain

^c Instituto de Biología y Genética Molecular (IBGM), Consejo Superior de Investigaciones Científicas (CSIC)-Universidad de Valladolid, Valladolid, Spain

^d Departamento de Física Teórica, Atómica y Óptica. Universidad de Valladolid, Valladolid, Spain

Received 1 April 2021; accepted 27 December 2021

Available online 19 January 2022

KEYWORDS

Optometrist; Professional competencies; Delphi study; Curriculum; European higher education area; Competency-based education

Abstract

Purpose: The aim of this study was to identify, assess, and reach a consensus on the professional competencies that optometrists must acquire during their undergraduate training at the University of Valladolid. The results obtained may be useful in the revision of the current curriculum.

Methods: A three round Delphi study was carried out with the participation of 116 participants grouped in 7 panels. In the first round, competencies were identified through an open-ended question and their frequency calculated. In the successive 2nd and 3rd rounds, the consensus and stability of each competency was established.

Results: A total of 56 professional competencies were identified, with 43 of them (77%) achieving a consensus among participants, of which the highest scores were obtained by the competencies that correspond to health functions of primary visual care. Out of the 13 competencies without consensus, for 11 of them this was due to the significant differences in assessment among the consulted participants; for 8 competencies (14%) response stability was found, while neither consensus nor stability were reached in 5 (9%) of the identified competencies.

Conclusions: The results obtained with this Delphi study provide a set of relevant competencies for updating the curriculum of the university Degree in Optics and Optometry at the University of Valladolid, improving its suitability to current and future professional reality.

© 2022 Spanish General Council of Optometry. Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Note: A native professional English translator has reviewed the English grammar of this manuscript.

* Corresponding author at: Grupo de Investigación en Optometría, Instituto Universitario de Oftalmobiología Aplicada (IOBA), Campus Universitario Miguel Delibes, Edificio IOBA, Paseo de Belén 17, 47011, Valladolid, Spain.

<https://doi.org/10.1016/j.optom.2021.12.005>

1888-4296/© 2022 Spanish General Council of Optometry. Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Introduction

Optometrists in Spain are healthcare professionals who perform activities aimed at detecting refractive errors of the eye by means of instrumental measurements, at the use of visual rehabilitation, prevention and hygiene techniques, and the adaptation, calibration and control of optical aids.¹ However, the professional practice of optometrists is different in each country, so the World Council of Optometry (WCO) has proposed a global model of professional competencies organized into 4 categories from lowest to highest clinical responsibility (Fig. 1) to describe this professional practice.² Due to its characteristics, professional practice in Spain would be placed in category 3 of this model with certain limitations in the diagnosis and care of some conditions,^{1,3,4} while category 4 would correspond to professional practice in reference countries such as the United Kingdom, Australia, Canada or the USA.^{2,5-9}

The training of optometrists in Spain had undergone several changes over the years until the degree in Optics and Optometry (4-year university studies)³ was introduced in 2010, following the adaptation to the European Higher Education Area (EHEA). At the same time, the profession of optometrist has evolved from activities mainly centered on cutting lenses and assembling glasses to those related to primary eye care in optical health facilities as well as the incorporation of optometrists in ophthalmology clinics and public and private healthcare hospitals.

The EHEA puts forward a competency-based teaching model⁴ aiming to assist in standardizing the professional profiles of each profession in the different member states of the European Union. Although there is no universally accepted definition of competency,^{10,11} it is described as the “ability to make deliberate choices from a repertoire of behaviors for handling situations and tasks in specific contexts of professional practice, by using and integrating knowledge, skills, judgment, attitudes and personal values, in accordance with professional role and responsibilities”.¹⁰

In order to design a competency-based curriculum, it is necessary to identify the relevant competencies for the professional in training,¹¹ responding to the current and future needs of society, to the educational and social challenges and to the imperatives of the labor market and employability.¹¹ The training program (curriculum) must then be developed by defining the contents, the teaching and learning

resources, the expected learning outcomes and reliable and trustworthy assessment methods to recognize and certify the achievements attained by the students,^{6,11} determining the minimum required level to be achieved in each of the competencies identified in any given context.^{2,5,6,12}

There are several techniques that enable interaction and data collection from groups involved in a complex problem, such as the nominal group technique, focus groups, brainstorming or the Delphi method.^{13,14} The Delphi method is well recognized and consolidated for establishing and reaching consensus on training programs and actions, analysing curricula and describing the competencies of students and teachers by consulting the opinion of different experts.^{15,16} It has been widely employed in areas relating to the university training of professionals, and specifically in defining the professional competencies and curricula for different healthcare professions,^{13,17} such as general nursing,¹² nephrology nursing,¹⁷ public health nursing¹⁸ and medical intern students.¹⁹ It has been used precisely in the field of optometry to develop a competency framework for optometrists in specific areas, such as glaucoma,²⁰ and for the training of optical technicians and optometrists in Mozambique.²¹ Furthermore, many references, while not strictly applying the Delphi method, have consulted experts by means of questionnaires in order to establish the competencies and standards of the optometric profession by consensus, such as, for example, the revision of the competency standards for optometrists in Australia⁷ and Canada.^{5,6} The General Optical Council’s guidelines for the continuing education of optometrists in the United Kingdom,⁸ as well as the training and competency needs of optometrists in Portugal²² were also laid out in this manner.

The purpose of this paper was to identify and reach a consensus on the competencies that an optometrist should acquire during training in the Degree of Optics and Optometry at the University of Valladolid (UVa). The research methodology used was the Delphi method, with the participation of different participants representing the professional and academic landscape of this professional practice in Spain.

Material and methods

Delphi study design

The Delphi method is a process composed of several rounds (usually between 3 and 4 rounds) in which the participants answer a series of successive questionnaires and receive feedback on the group’s replies. The information is collected and analysed, and a consensus is sought semi-anonymously with controlled feedback throughout the process in order to gather a statistical response from the group. This result is achieved by arriving at a consensus that may be able to provide a solution to a complex problem¹³ or to the question posed.^{23,24}

The selection of the group of participants was made following a nomination process in 3 steps^{12,21,24-26} to obtain “useful sample”²³ and to ensure that multiple realities of the problem studied were gathered.^{12,21,24} The first step was the identification of the panels. Second, preparation of lists




Figure1 Global Competency-Based Model of Scope of Practice in Optometry developed by World Council of Optometry.

(one for each panel) with specific names that met the requirements established: the participants, that should be specialists, affected or facilitators,¹³ were competent and relevant, as well as representative or highly knowledgeable of the professional and academic situation in the field of optics and optometry. They were therefore capable of making insightful contributions, and they also agreed to devote the time necessary to take part in the study.^{23,24} A minimum of 2 years of professional experience was required for the optometrists experts.²⁴ The third step was to prioritize the nominated participants based on their qualifications.

The aim was to collect information taking into account both the professional point of view and the academic point of view in its different approaches.¹² **Seven panels of participants** related to professional practice and optometry training were formed (Table 1): three panels related to professional practice, including optometrists practicing in visual care centers, optometrists practicing in ophthalmology clinics and hospitals, and professional optometrists who have recently begun to practice the profession (less than 4 years of experience). A panel made up of members of the Spanish College of Optometrists (from four different regions: Castilla y León, Galicia, Andalucía and Basque Country to be representative of all Spain) was included because the opinion of members belonging to institutions independent from the university and the labor market was considered a relevant perspective as regulatory agents of the profession.¹² Because this study was focused on improving the Optometry curricula at the University of Valladolid, three panels linked to optometry training at this University were included: one panel of faculty members who were optometrists. A panel of faculty members who were not optometrist was included in order to avoid a greater weight of information from a certain area of training²⁶ and because this was the profile of academics who led the current Optometry curricula. Finally, a panel made up of final-year students of the Optics and Optometry degree was also created, since their knowledge of the current academic reality was considered relevant and they represent a group concerned with the subject matter^{13,27} and final “costumers” of curricula,¹² thus ensuring a plurality of opinions.¹³

The quality of a Delphi study depends, among other things, on having a sufficient number of representative participants¹³ that allows for a balance between the diversity of opinions, representativeness of the problem, statistical significance, feasible process of response collection, processing and analyzing the information,^{23,24} group performance and cost-benefit.¹³ The research team invited 116 participants to participate (in person or by telephone) until reaching 10–18 participants per panel, as it is in line with the recommendations described in the literature^{24,28} with the exception of the “Students panel” (all students’ cohort, 22 students, was included) and “Practicing optometrists in visual care centers and hospitals” that including 19 participants in anticipation of a possible drop out along the study.

In this paper, a 3-round Delphi study was used (Fig. 2).²⁴ The 1st round consisted of asking an open-ended question^{23,24} that was previously validated by an independent group of 8 professionals from the academic and professional environment.^{23,24} Each participant had to answer the question “What professional competencies (knowledge, abilities, techniques, skills...) should every recent graduate

in Optics and Optometry possess as a primary eye care professional?” on an on-line platform (www.typeform.com) with no answer length limit.²⁴ In this round, a list of items (professional competencies) was identified from the participants’ answers.¹⁴ In the 2nd round, an online questionnaire (Google Forms) was used to determine the degree of consensus among the participants on the competencies identified in the 1st round.²³ The items obtained in the 1st round were reduced so that questionnaire 2 was not excessively long and could be completed in 25–30 min, to minimize the number of participants quitting and to avoid answers without sufficient reflection.^{13,14,17,24} The item reduction process grouped items identified in 1st round with similar description.²³ No one of the suggested items were arbitrarily removed.²³ To facilitate statistical analysis, each item was transformed into a 7-level LIKERT scale question (1=not at all important; 7=essential)^{13,21} and participants rated the importance of each of these competencies in the daily work of an optometrist. For every 4 closed-ended questions, an open-ended question was included so that the participants could make any remarks they considered necessary.²¹ Based on the participants’ answers, the existence of consensus was calculated for each competency. A 3rd round with a new on-line questionnaire (Google Forms) was planned to include just the competencies upon which there was no consensus in the previous round, so that each participant could assess the importance of each one again using the same LIKERT scale. In each question of the 3rd round survey, the average scores obtained from each panel in the previous round were attached to promote reflection, in addition to maintaining the necessary feedback among the participants. This round measured not only consensus, but also the response stability for the competencies without consensus.

Statistical analysis

Statistical analysis was performed using SPSS for Windows software (version 23.0; SPSS, Inc., Chicago, IL, USA). The non-parametric data distribution of variables was verified using the Kolmogorov-Smirnov test ($P<0.05$ indicated that the data were not normally distributed).

The response rate for each round of the study was calculated as the percentage of participants who answered to each questionnaire in relation to the total number initially invited to participate. The 1st round included a qualitative analysis (list of items and categories) and a quantitative analysis (analysis of the frequency of each item identified) of the answers given by the participants to the open-ended question (content analysis method).¹⁴ In the 2nd and 3rd rounds, based on the participants’ rating of each competency, without weighting the panel’ score, and in order to guarantee the greatest statistical rigor, different statistics of central tendency and dispersion were calculated to ascertain the existence of consensus and stability in the responses (Fig. 3).^{14,15}

According to the literature consulted, consensus exists when an acceptable degree of convergence (proximity or lower level of dispersion of predetermined values) is reached in the individual estimates. A 7-level LIKERT scale was used to rate the questions, and consensus was considered to exist if each of the following 6 indicators were met: a mean score ≥ 5.6 ; a standard deviation ≤ 1.4 ; a coefficient of variation

Table 1 Participants' response rate in the three Delphi rounds calculated in relation to the 116 initial invitations sent out.

PANEL	1st round invitations	1st round answers	1st round response rate%	2nd round answers	2nd round response rate%	3rd round answers	3rd round response rate%
1. Optometrists who are members of the College of Optometrist	13	13	100%	13	100%	13	100%
2. Practicing optometrists in visual care centers	19	19	100%	18	94.74%	18	94.74%
3. Practicing optometrists in hospitals and ophthalmology clinics	19	18	94.74%	18	94.74%	18	94.74%
4. Optometrists who are university faculty at the UVa	11	11	100%	10	90.91%	10	90.91%
5. University faculty at the UVa who are not optometrists	18	18	100%	17	94.44%	15	83.33%
6. Students of Optometry at the UVa	22	22	100%	14	63.64%	14	63.64%
7. Optometrists who graduated from the UVa	14	14	100%	14	100%	12	85.71%
Total	116	115	99.14%	104	89.65%	100	86.20%




Fig. 2 Schematic representation of the successive rounds used in the Delphi study.

< 20%; a median value > 5; an inter-quartile range ≤ 2 ; and no statistically significant differences among the groups of participants ($p > 0.05$ Mann-Whitney) ^{13,20,21,23}. The items upon which no consensus was reached in the 2nd round were included in the 3rd round, and this same analysis was repeated with the new answers. For the items which didn't reach consensus in the 3rd round, the **stability** of the responses was calculated. Responses were deemed to be stable when no significant variation was found in the participants' opinions between the 2nd and 3rd rounds. To consider that there was stability between the assessments of the 2nd and 3rd rounds, the 9 statistical indicators found in the literature had to be met^{13,15}: variation of the mean ± 0.5 ; relative variation of the mean ± 0.1 ; variation of the standard deviation ± 0.7 ; variation of the coefficient of variation < 10%; variation of the median ± 0.5 , relative variation of the median ± 0.1 ; variation of the interquartile range ± 1.0 ; relative variation of the interquartile range ± 0.20 and the percentage of participants changing their assessment by more than 1 point $\leq 25\%$. In items without consensus that showed stability no more Delphi rounds were planned, because this suggests that participants would not modify their opinions.

Results

Participants' response rate

Of the 116 participants who agreed to participate in the study, 115 (99% response rate) responded in the 1st round. The questionnaires for the 2nd and 3rd rounds were only sent to the participants who responded to the 1st and 2nd rounds respectively. 100 participants responded to the three questionnaires, yielding a final response rate of 86%. The number of participants in each panel and the response rate for each round and panel is detailed in **Table 1**.

Analysis of the 1st round responses

The responses of the 115 participants to Questionnaire 1 identified 105 items relating to the professional




Fig. 3 Description of the indicators established for the existence of consensus on the competencies identified by the participants, as well as the indicators established for the existence of response stability in the 2nd and 3rd rounds.

competencies of optometrists. These were grouped into 6 different categories. **Table 2** highlights the most frequently identified professional competencies from each category.

Analysis of the 2nd and 3rd round responses

The 105 items resulting from the 1st round were reduced to 55 professional competencies, which were included in the 2nd round questionnaire. In this second consultation, consensus was reached on 38 competencies (69%) by the different panels of participants (**Table 3**). In addition, the comments provided on the competency concerning the use of diagnostic and therapeutic drugs (#9) recommended splitting it into two different items in the 3rd round, one on the use of diagnostic drugs and the other on therapeutic drugs (#9A and #9B). This meant that the initial 55 competencies of the quantitative analysis of the 1st round finally became 56.

The 3rd round questionnaire aimed to reassess the 17 competencies upon which no consensus was reached in the 2nd round, including 18 questions (#9A and #9B). After the analysis of the answers of the 3rd round questionnaire, consensus was reached on 5 more competencies (#4, #11, #28, #47 and #52) as shown in **Table 3**. Therefore, between the 2nd and 3rd rounds, a consensus was achieved on 43 out of the 56 final competencies (77%). However, consensus was not reached for 13 competencies, either because of statistically significant differences between the ratings of the different panels (**Table 4**) or because the ratings showed a high level of dispersion (**Table 3**). Response stability was found in 8 (14%) of these competencies (#1, #3, #10, #29, #29, #44, #45, #53 and #55) between the 2nd and 3rd rounds (**Table 5**). Finally, in the remaining 5 (9%) competencies (#5, #9A, #9B, #14 and #54) no consensus or stability in the responses was found. Given that most of the competencies (43 out of 56) had achieved consensus by the 3rd round and that the majority (8 out of 13) of the competencies without consensus showed stability in the participants' responses, a further 4th round was deemed unlikely to improve these results, and the consultation rounds were brought to an end.

Table 2 Classification and frequency of the main professional competencies identified in the 1st round. The most frequently mentioned items for each category are given in detail.

Categories of analysis	N° of items	Items in each category	Frequency
1. Core competencies	15	Knowledge of physiology, neurophysiology, physiopathology, and systemic immunity Basic skills in researching and the scientific method: handling of scientific information sources, interpretation and critical analysis of information, development and conducting of research projects and dissemination of results. Learning to learn (capacity for self-education, continuous training and ability to adapt to technological, scientific and social changes).	16 16 18
2. Competencies in anatomy, physiology, eye pathology and ophthalmology	9	Knowledge of eye pathology (strabismus, AMD, etc.) and of the visual system and its management (most frequent treatments, avoidance of complications, etc.). Knowledge of systemic pathology involving the eye. Differentiate normal/pathologic, healthy/ill, normal/abnormal	45 33 34
3. Competencies in optics	17	Assembling ophthalmic lenses (monofocal, bifocal, prisms, etc.) Verifying, controlling and analyzing optical systems and spectacle assembling. Adjusting, fitting and delivering spectacles and optical systems.	40 35 31
4. Competencies in optometry and contactology	47	Examination and interpretation of visual function, including visual acuity, contrast sensitivity, visual field, color vision. Examination and interpretation of refractive status, including objective refraction (retinoscopy, autorefractometer) and subjective refraction (monocular, binocular, biocular balance, far, near, using test glasses, phoropter, crossed cylinders, duochrome test, cycloplegic, etc.). Examination and interpretation of eye health in the anterior pole (biomicroscopy) and posterior pole (direct and indirect ophthalmoscopy, +90/+78 D lens and/or retinography and Amsler grid). Knowing what is the best contact lens to prescribe in each case.	69 75 62 62
5. Competencies in communication, personal skills and professional conduct	11	Knowledge of psychology, sociology and customer service. Efficient communication skills (verbal, non-verbal, written, active listening, observation and attention, order and clarity, etc.) with patients/clients and professionals, adapting language and vocabulary to the situation, preparation and interpretation of reports (referral, expert reports, etc.). Guiding and/or advising the patient/client and relatives throughout the process (overseeing the examination, explaining the tests to be performed, the results of the examinations, the most appropriate solution in each case, referral recommendations, visual hygiene recommendations, solving doubts, etc.).	41 39 30
6. Business competencies	6	Knowledge of business, management and running of SMEs (opening an optical shop, account management, legislation, taxes, etc.). Knowledge of merchandising and sales (negotiation skills, advertising, window dressing, etc.). Management of prices and knowledge of real market products (names, laboratories, etc.), of ophthalmic lenses, contact lenses and other products related to glasses (sunglasses, attachments, treatments, frames, instruments, etc.) and optical correction (e.g. IOls).	13 22 37

Discussion

Delphi study

This is the first time a Delphi study has been undertaken to identify and reach a consensus on the professional

competencies that an optometrist must acquire in their training during the Optometry degree in Spain. Prior to this study, a team mainly formed by Spanish professors collectively drafted, by consensus and in collaboration with several universities, associations and professional colleges, the White Paper for the degree in Optics and Optometry,⁴ which

Table 3 Summary of the indicators of consensus in the response to the professional competencies in the 2nd and 3rd rounds. The 3rd round only includes competencies upon which no consensus was reached in the 2nd round. Values that meet the consensus criteria are highlighted in bold. For a competency to reach consensus, all criteria must be met. \bar{x} =mean score; SD=standard deviation; CV=coefficient of variation; Me=median value; IQR=Inter-quartile Range; P=Group difference with Mann-Whitney test.

Professional Competencies	2nd round						Consensus Yes / No	3rd round						Consensus Yes/No		
	Consensus indicators							Consensus indicators								
	\bar{x} ≥ft5.6	SD ≤1.4	CV <20%	Me ≥5	IQR ≤2	P ≥0.05		\bar{x} ≥5.6	SD ≤1.4	CV <20%	Me ≥5	IQR ≤2	P ≥0.05			
1: Scientific knowledge: physics, chemistry, biochemistry, mathematics	4.57	1.356	30%	5	2	0.029	No	4.72	1.14	24%	5	1.3	0.013	No		
2: Knowledge of human biology: histology, anatomy, physiology	5.83	1.035	18%	6	2	0.199	Yes	—	—	—	—	—	—	—		
3: Knowledge of public health, healthcare management and epidemiology	5.18	1.512	29%	6	2	0.004	No	5.47	1.16	21%	6	1	0.001	No		
4: Multidisciplinary knowledge of English, computer science and ICT	5.56	1.364	25%	6	2	0.217	No	5.68	1.07	19%	6	1	0.15	Yes		
5: Basic research skills	5.05	1.451	29%	5	2	0.076	No	5.17	1.09	21%	5	1	0.006	No		
6: Critical thinking, decision making and problem solving	6.43	0.773	12%	7	1	ND	Yes	—	—	—	—	—	—	—		
7: Capacity for autonomous learning	6.07	1.082	18%	6	2	0.3	Yes	—	—	—	—	—	—	—		
8: Distinguishing normal from pathological visual systems	6.74	0.596	9%	7	0	ND	Yes	—	—	—	—	—	—	—		
9A: Use of diagnostic eye drugs	5.61	1.331	24%	6	2	0.057	No	6.14	1.06	17%	6	1	0.012	No		
9B: Use of therapeutic eye drugs	5.61	1.331	24%	6	2	0.057	No	5.13	1.47	29%	5	2	0.047	No		
10: Optometric care in ophthalmologic surgery	5.51	1.402	25%	6	2	0.083	No	5.99	1.01	17%	6	1	0.024	No		
11: Knowledge of optics: geometric, physical and physiological	5.57	1.34	24%	6	2	0.403	No	5.89	0.93	16%	6	1	0.515	Yes		
12: Knowledge of optical elements (lenses, prisms, mirrors, etc.): functioning, description, options and maintenance	6.14	1.085	18%	7	1	ND	Yes	—	—	—	—	—	—	—		
13: Knowledge of basic and advanced diagnostic instrumentation: principles, description, characteristics and operation	5.95	1.152	19%	6	2	0.748	Yes	—	—	—	—	—	—	—		
14: Designing, calculating and manufacturing ophthalmic lenses, optical systems and measuring instruments	4.89	1.55	32%	5	2	0.04	No	4.97	1.19	24%	5	2	0.552	No		
15: Performing the complete assembly process of ophthalmic lenses and optical systems: choice, framing, measurements, assembly, verification, adjustment and repair	6.33	1.173	19%	7	1	ND	Yes	—	—	—	—	—	—	—		
16: Managing prices and knowledge of real market products: ophthalmic lenses, contact lenses, intraocular lenses and other related products	6.18	1.099	18%	7	1	ND	Yes	—	—	—	—	—	—	—		
17: Establishing and applying examination protocols, adapting them according to the characteristics of the client/patient	6.4	0.893	14%	7	1	ND	Yes	—	—	—	—	—	—	—		
18: Performing anamnesis and complete medical history	6.62	0.746	11%	7	1	ND	Yes	—	—	—	—	—	—	—		
19: Examining and interpreting visual function (VA, CS, visual field, color vision)	6.63	0.766	12%	7	1	ND	Yes	—	—	—	—	—	—	—		
20: Detecting and measuring refractive error using OBJECTIVE methods (retinoscopy)	6.6	0.696	11%	7	1	ND	Yes	—	—	—	—	—	—	—		
21: Detecting and measuring refractive error using SUBJECTIVE methods	6.75	0.628	9%	7	0	ND	Yes	—	—	—	—	—	—	—		
22: Examining and interpreting IOM	6.44	0.895	14%	7	1	ND	Yes	—	—	—	—	—	—	—		

Table 3 (Continued)

Professional Competencies	2nd round						Consensus Yes / No	3rd round						Consensus Yes/No		
	Consensus indicators							Consensus indicators								
	\bar{x} $\geq ft5.6$	SD ≤ 1.4	CV $<20\%$	Me ≥ 5	IQR ≤ 2	P ≥ 0.05		\bar{x} ≥ 5.6	SD ≤ 1.4	CV $<20\%$	Me ≥ 5	IQR ≤ 2	P ≥ 0.05			
23: Examining and interpreting corneal morphology (keratometry and topography, pachymetry, etc.)	6.47	0.948	15%	7	1	ND	Yes	—	—	—	—	—	—	—		
24: Examining and interpreting tonometry (non-contact and contact)	6.46	0.837	13%	7	1	ND	Yes	—	—	—	—	—	—	—		
25: Detecting binocular vision alterations (phorias, tropias, non-strabismic binocular dysfunctions, etc.)	6.55	0.73	11%	7	1	ND	Yes	—	—	—	—	—	—	—		
26: Detecting accommodative anomalies	6.59	0.712	11%	7	1	ND	Yes	—	—	—	—	—	—	—		
27: Detecting and grading abnormal findings and the most frequent and/or severe anterior pole pathologies by means of biomicroscopy	6.58	0.58	9%	7	1	ND	Yes	—	—	—	—	—	—	—		
28: Detecting and grading abnormal findings and the most frequent and/or severe posterior pole pathologies with ophthalmoscopy, +90/+78 D lens and retinography	6.04	1.258	21%	7	2	ND	No	6.40	0.95	15%	7	1	0.214	Yes		
29: Performing and interpreting advanced visual examinations (OCT, aberrometry, retinography, biometry, endothelial cell count, UBM, ORA, etc.)	5.51	1.195	22%	6	1	0.68	No	5.87	1.12	19%	6	2	0.001	No		
30: Making a clinical judgment and prognosis using the data obtained	6.28	1.173	19%	7	1	ND	Yes	—	—	—	—	—	—	—		
31: Laying out an action and management plan, deciding what remedy is most appropriate: glasses, contact lenses, prisms, additions, visual therapy, visual rehabilitation, etc.	6.62	0.811	12%	7	0	ND	Yes	—	—	—	—	—	—	—		
32: Setting a personalized revision schedule	6.09	1.144	19%	6	1	0.096	Yes	—	—	—	—	—	—	—		
33: Appropriate referral to other professionals (what, to whom, when and how)	6.6	0.748	11%	7	1	ND	Yes	—	—	—	—	—	—	—		
34: Prescribing and calculating the most appropriate ophthalmic lens: type of lens, treatment, filters, photochromic, protection, sport, etc.	6.54	0.817	12%	7	1	ND	Yes	—	—	—	—	—	—	—		
35: Prescribing and calculating optical aids (magnifiers, telescopes, microscopes, prisms, additions, etc.) including low vision and non-optical aids	6.05	1.117	18%	6	2	0.271	Yes	—	—	—	—	—	—	—		
36: Detecting and managing the unsuitability of prescriptions (e.g. progressives)	6.48	0.853	13%	7	1	ND	Yes	—	—	—	—	—	—	—		
37: Knowing what is the most appropriate type of contact lens to prescribe	6.67	0.708	11%	7	0	ND	Yes	—	—	—	—	—	—	—		

Table 3 (Continued)

Professional Competencies	2nd round						Consensus Yes / No	3rd round						Consensus Yes/No		
	Consensus indicators							Consensus indicators								
	\bar{x} ≥f5.6	SD ≤1.4	CV <20%	Me ≥5	IQR ≤2	P ≥0.05		\bar{x} ≥5.6	SD ≤1.4	CV <20%	Me ≥5	IQR ≤2	P ≥0.05			
38: Calculating the parameters, adapting, evaluating and following up on hydrophilic contact lenses (spherical, toric, multifocal, conventional, disposable, etc.)	6.65	0.713	11%	7	0	ND	Yes	—	—	—	—	—	—	—		
39: Calculating the parameters, adapting, evaluating and following up on RPG contact lenses (spherical, toric, multifocal, etc.)	6.51	0.87	13%	7	1	ND	Yes	—	—	—	—	—	—	—		
40: Calculating the parameters, adapting, evaluating and following up on contact lenses in special cases (irregular cornea, OrthoK, piggy back, scleral lenses, post surgery, etc.)	6.15	1.082	18%	7	1	ND	Yes	—	—	—	—	—	—	—		
41: Detecting and handling alterations and problems related to the use of contact lenses and maintenance systems	6.5	0.856	13%	7	1	ND	Yes	—	—	—	—	—	—	—		
42: Instructing the patient/client in the handling and maintenance of optical prescriptions, vision compensation systems and non-optical aids, including contact lenses	6.53	0.756	12%	7	1	ND	Yes	—	—	—	—	—	—	—		
43: Designing and implementing vision therapy programs	5.89	1.095	19%	6	2	0.403	Yes	—	—	—	—	—	—	—		
44: Designing and implementing visual rehabilitation programs for low vision patients	5.73	1.165	20%	6	2	0.416	No	5.68	1.16	20%	6	1	0.081	No		
45: Designing and implementing programs for education, prevention and maintenance of visual health and ergonomics aimed at patients/clients and the general population	5.7	1.28	22%	6	2	0.291	No	5.93	1.17	20%	6	1.3	0.004	No		
46: Knowledge of psychology, customer service, intrapersonal and interpersonal skills	6.08	1.078	18%	6	2	0.053	Yes	—	—	—	—	—	—	—		
47: Legal knowledge (professional competencies, health legislation, etc.), honesty, ethics and professional responsibility	5.92	1.214	21%	6	2	0.467	No	6.19	1.07	17%	6	1	0.235	Yes		
48: Establishing trust in the professional-patient/client relationship, detecting expectations and needs	6.15	1.085	18%	7	1	ND	Yes	—	—	—	—	—	—	—		
49: Efficient communication skills (verbal, non-verbal, written, etc.) with patients/clients and professionals, preparing and interpreting reports	6.19	0.946	15%	6	1	0.183	Yes	—	—	—	—	—	—	—		
50: Guiding and/or advising the patient/client and family members throughout the process (overseeing the examination, explaining the results and appropriate solution, solving doubts, etc.)	6.29	1.067	17%	7	1	ND	Yes	—	—	—	—	—	—	—		

Table 3 (Continued)

	2nd round						3rd round					
	Consensus indicators			Consensus Yes / No			Consensus indicators			Consensus Yes/No		
	\bar{x}	SD	CV	Me	IQR	P	\bar{x}	SD	CV	Me	IQR	P
Professional Competencies	≥ 5.6	≤ 1.4	$<20\%$	≥ 5	≤ 2	≥ 0.05	≥ 5.6	≤ 1.4	$<20\%$	≥ 5	≤ 2	≥ 0.05
51: Teamwork, collaborating with other professionals and public administration	6.38	0.937	15%	7	1	ND	Yes	—	—	—	—	—
52: Organization, planning and managing time efficiently	6.05	1.124	19%	6	2	0.011	No	6.11	1.01	17%	6	1
53: Knowledge of economics and accounting, management and running of SMEs	4.89	1.502	31%	5	2	0.192	No	5	1.26	25%	5	2
54: Knowledge of marketing and sales and merchandising	5.24	1.477	28%	5	2	0.043	No	5.20	1.29	25%	5	1
55: Managing sensitive information, data protection and confidentiality	5.71	1.425	5%	6	2	0.412	No	5.78	1.26	22%	6	2

was later reflected in the regulation of the official curricula for the training of optometrists (Order CIN727/2009).³ However, on that occasion no students, practicing optometrists (the end clients of these professional services) took part in the paper.¹² In the present Delphi study, according with the literature recommendations,^{13,24,28} a large and significant number of participants (grouped in seven panels) related to professional practice, academic and optometry training were formed to ensure a plurality of opinions representative of all the sectors involved in the subject matter^{6,24} and more thorough results.^{12,13,24}

Participants quitting over the course of a Delphi study is one of the main problems of this type of research. For a Delphi study to be regarded as sufficiently rigorous, a minimum response rate of 70% is recommended.²⁵ In this study, the final response rate was 86% on average: 99% in the first round, 89% in the second round, and 86% in the third round, which is much higher than the minimum required in the literature. This high response rate may be due to the fact that there was personal and direct contact with the participants throughout the study in order to attain a higher level of commitment.^{23,24}

Professional competencies identified

In the 1st round, a total of 105 items were identified, which were grouped into 6 categories. The first four categories (core competencies; competencies in anatomy, physiology, eye pathology and ophthalmology; optics competencies; and competencies in optometry and contactology) include competencies that are very similar to the curriculum in force at the University of Valladolid since 2010 and to current regulations.^{2,29} However, it was necessary to create two new categories grouping together the professional competencies provided by the participants that are not explicitly taken into consideration in the current curriculum or in the existing regulations.

The first of these two categories, was called “**competencies in communication, personal skills and professional conduct**”, comprising some of the competencies proposed by the participants, which, despite being included as specific objectives in the degree’s curriculum,^{3,29} are only covered in the specific training modules in some cases. Furthermore, most of these competencies appear as learning objectives of subjects that do not have a defined theoretical content²⁹ such as supervised internships, external internships and the end of degree dissertation, which makes it difficult to guarantee a homogeneous learning process for all students. This contrasts with the recommendations of many international organizations, which insist that a competent healthcare professional should not only have the technical healthcare knowledge befitting the profession, but should also need to have communication skills, interpersonal skills, professional behavior, and solid ethical foundations.³⁰⁻³² Therefore, these competencies should be acquired during the training process in a straightforward and regulated manner.³⁰⁻³² Theoretical and practical content on these competencies, as well as their evaluation, should be introduced, thus guaranteeing their acquisition²⁷ by all students, like any other professional competency. These competencies are reflected in the English-speaking world, where the curriculum commonly encompasses specific areas for the teaching and learning of competencies related to professional behavior,

Table 4 Analysis of the differences in final assessments among the panels of participants in competencies without consensus. Panel 1= optometrists who are members of the College of Optometrist, Panel 2= practicing optometrists in visual care centers, Panel 3= practicing optometrists in hospitals and ophthalmology clinics, Panel 4= Optometrists who are university faculty at the University of Valladolid, Panel 5= University faculty at the University of Valladolid who are not optometrists, Panel 6= Students of Optics and Optometry at the University of Valladolid, Panel 7= optometrists who graduated from the University of Valladolid. \bar{x} =mean score; P = Group difference with Mann-Whitney test.

Item	Panel	\bar{x}	Mann-Whitney P value						
			Panel 1	Panel 2	Panel 3	Panel 4	Panel 5	Panel 6	Panel 7
#1	Panel 1	5.00		1.000	1.000	1.000	1.000	1.000	0.832
Scientific knowledge: physics, chemistry, biochemistry, mathematics	Panel 2	4.78			1.000	1.000	1.000	1.000	1.000
	Panel 3	4.61				1.000	0.590	1.000	1.000
	Panel 4	4.40					0.405	1.000	1.000
	Panel 5	5.47						0.416	0.004
	Panel 6	4.50							1.000
	Panel 7	4.08							
	Total	4.72							
#3 Knowledge of public health, healthcare management and epidemiology	Panel 1	6.46		<0.001	0.365	0.150	1.000	<0.001	0.003
	Panel 2	5.06			1.000	1.000	0.757	1.000	1.000
	Panel 3	5.50				1.000	1.000	1.000	1.000
	Panel 4	5.20					1.000	1.000	1.000
	Panel 5	5.87						1.000	1.000
	Panel 6	5.14							1.000
	Panel 7	5.08							
	Total	5.47							
#5 Research skills	Panel 1	5.69		<0.001	1.000	1.000	1.000	1.000	1.000
	Panel 2	4.39			0.001	<0.001	1.000	0.214	1.000
	Panel 3	5.39				1.000	1.000	1.000	1.000
	Panel 4	5.60					1.000	1.000	1.000
	Panel 5	5.00						1.000	1.000
	Panel 6	5.36							1.000
	Panel 7	5.08							
	Total	5.17							
#9A Use of diagnostic eye drugs	Panel 1	6.69		0.426	1.000	1.000	<0.001	1.000	1.000
	Panel 2	5.83			1.000	1.000	1.000	1.000	1.000
	Panel 3	6.50				1.000	0.001	1.000	1.000
	Panel 4	6.50					0.001	1.000	1.000
	Panel 5	5.36						0.068	1.000
	Panel 6	6.21							1.000
	Panel 7	6.00							
	Total	6.14							
#9B Use of therapeutic eye drugs	Panel 1	5.69		1.000	1.000	1.000	0.002	1.000	1.000
	Panel 2	4.72			1.000	1.000	1.000	1.000	1.000
	Panel 3	5.50				1.000	0.001	1.000	1.000
	Panel 4	5.80					<0.001	1.000	1.000
	Panel 5	4.00						0.075	0.174
	Panel 6	5.21							1.000
	Panel 7	5.25							
	Total	5.13							
#10 Optometric care in ophthalmologic surgery	Panel 1	5.92		1.000	1.000	1.000	1.000	1.000	1.000
	Panel 2	5.50			0.001	1.000	1.000	1.000	1.000
	Panel 3	6.61				0.414	1.000	1.000	0.728
	Panel 4	5.70					1.000	1.000	1.000
	Panel 5	6.13						1.000	1.000
	Panel 6	6.07							1.000
	Panel 7	5.83							
	Total	5.99							

Table 4 (Continued)

Item	Panel	\bar{x}	Mann-Whitney P value						
			Panel 1	Panel 2	Panel 3	Panel 4	Panel 5	Panel 6	Panel 7
#14 Design, calibrate and manufacture ophthalmic lenses, optical systems and measuring tools	Panel 1	4.77		1.000	1.000	1.000	0.543	0.974	1.000
	Panel 2	4.61			1.000	1.000	0.111	0.242	1.000
	Panel 3	4.61				1.000	0.111	0.242	1.000
	Panel 4	4.40					0.096	0.187	1.000
	Panel 5	5.73						1.000	1.000
	Panel 6	5.64							1.000
	Panel 7	5.00							
		Total	4.97						
#29 Perform and interpret advanced visual examinations	Panel 1	5.62		1.000	0.136	1.000	1.000	1.000	1.000
	Panel 2	5.22			0.001	1.000	1.000	0.104	0.987
	Panel 3	6.67				0.223	0.081	1.000	1.000
	Panel 4	5.60					1.000	1.000	1.000
	Panel 5	5.57						1.000	1.000
	Panel 6	6.29							1.000
	Panel 7	6.00							
		Total	5.87						
#44 Design and apply low vision rehabilitation programs	Panel 1	6.23		1.000	1.000	0.272	1.000	1.000	1.000
	Panel 2	5.56			1.000	1.000	1.000	1.000	1.000
	Panel 3	5.61				1.000	1.000	1.000	1.000
	Panel 4	5.00					1.000	1.000	1.000
	Panel 5	5.80						1.000	1.000
	Panel 6	5.86							1.000
	Panel 7	5.58							
		Total	5.68						
#45 Design and implement programs for education, prevention and care of visual health and ergonomics	Panel 1	6.77		0.011	<0.001	1.000	1.000	1.000	0.004
	Panel 2	5.67			1.000	1.000	1.000	1.000	1.000
	Panel 3	5.33				1.000	0.914	0.946	1.000
	Panel 4	6.20					1.000	1.000	1.000
	Panel 5	6.13						1.000	1.000
	Panel 6	6.14							1.000
	Panel 7	5.58							
		Total	5.93						
#53 Knowledge of economics and accounting, managing and running SMEs	Panel 1	6.00		0.770	<0.001	0.001	1.000	1.000	0.001
	Panel 2	5.11			0.015	1.000	1.000	1.000	1.000
	Panel 3	4.00				0.006	0.006	0.028	1.000
	Panel 4	5.00					1.000	1.000	1.000
	Panel 5	5.13						1.000	1.000
	Panel 6	5.36							1.000
	Panel 7	4.67							
		Total	5.00						
#54 Knowledge of product marketing and sales	Panel 1	6.08		1.000	<0.001	0.002	<0.001	0.033	0.002
	Panel 2	5.56			0.009	1.000	1.000	1.000	0.133
	Panel 3	4.11				0.009	0.014	<0.001	0.053
	Panel 4	5.30					1.000	1.000	1.000
	Panel 5	5.20						1.000	1.000
	Panel 6	5.43							1.000
	Panel 7	5.00							
		Total	5.20						
#55 Management of sensitive information, data protection and confidentiality	Panel 1	6.31		1.000	0.001	0.551	1.000	1.000	1.000
	Panel 2	5.72			1.000	1.000	1.000	1.000	1.000
	Panel 3	5.00				0.001	0.012	0.009	1.000
	Panel 4	6.50					1.000	1.000	1.000
	Panel 5	5.80							1.000
	Panel 6	6.00						1.000	1.000
	Panel 7	5.58							
		Total	5.78						

Table 5 Stability in answers for competencies upon which there was no consensus between the 2nd and 3rd rounds. Values that meet the stability indicators are highlighted in bold. All criteria had to be met for a competency to be considered stable. \bar{x} =mean score; SD=standard deviation; CV=coefficient of variation; Me=median value; IQR=Inter-quartile Range.

Professional competencies	Group Stability								Individual Stability	
	\bar{x} Var +/- 0.5	Relative \bar{x} Var +/- 0.1	Var SD +/- 0.7	Var CV <10%	Me Var +/- 0.5	Relative Me Var+/- - 0.1	IQR Var+/- 1	Relative QR Var+/- 0.20	% of participants changed their opinion (max. 1 point difference) ≤25%	Stability Yes / No
1: Scientific knowledge: physics, chemistry, biochemistry, mathematics	0.17	0.04	-0.22	-6%	0	0	-0.50	-0.10	14%	Yes
3: Knowledge of public health, healthcare management and epidemiology	0.25	0.05	-0.32	-7%	0	0	-1	-0.17	21%	Yes
5: Basic research skills	0.11	0.02	-0.36	-7%	0	0	-1	-0.20	27%	No
9A: Use of diagnostic eye drugs	0.50	0.09	-0.27	-6%	0	0	-1	-0.17	31%	No
9B: Use of therapeutic eye drugs	-0.51	-0.09	0.14	5%	-1	-0.17	0	0.07	38%	No
10: Optometric care in ophthalmologic surgery	0.46	0.08	-0.37	-8%	0	0	-1	-0.17	23%	Yes
14: Designing, calibrating and manufacturing ophthalmic lenses, optical systems and measuring tools	0.06	0.01	-0.32	-7%	0	0	0	0	35%	No
29: Performing and interpreting advanced visual examinations (OCT, aberrometry, retinography, biometry, endothelial count, UBM, ORA, etc.,)	0.35	0.06	-0.07	-3%	0	0	1	0.17	24%	Yes
44: Designing and applying low vision rehabilitation programs	-0.11	-0.02	0.03	1%	0	0	-1	-0.17	21%	Yes
45: Designing and implementing programs for education, prevention and care of visual health and ergonomics, aimed at patients/clients and the general population	0.23	0.04	-0.11	-3%	0	0	-0.7	-0.12	24%	Yes
53: Knowledge of economics and accounting, managing and running SMEs	0.12	0.03	-0.26	-6%	0	0	0	0	25%	Yes
54: Knowledge of product marketing and sales	0	0	-0.20	-4%	0	0	-1.8	-0.36	21%	No
55: Management of sensitive information, data protection and confidentiality	0.09	0.02	-0.19	-4%	0	0	0	0	21%	Yes

communication, professional and ethical conduct and responsibility, in addition to covering legal obligations, collaborative practice and continuing education.^{5,7,9}

The second category that was established was called “**business competencies**”, to include the participants’ proposals concerning knowledge of economics and accounting, management skills and running small and medium-sized enterprises, knowledge and skills in product marketing and merchandising, handling of tariffs and knowledge of real products on the market. These facets are mostly not taken into account in the current curriculum at the University of Valladolid, not even as optional or multi-disciplinary subjects.^{3,29} The demand for this kind of competencies is quite logical, considering that 70% of optometrists practice their profession as employees and a further 15–17% of them create their own business, which means that 85–87% of optometrists practice in a small or medium-sized enterprise.⁴ Furthermore, the CIN 727/2009 order marks as a specific objective of the degree the competency “*Being able to carry out planning and management activities in a service or small company in the field of Optics-Optometry*”, which is closely related to this category of competencies suggested by the participants. The relevance of these competencies is confirmed by several organizations such as the Quality Assurance Agency for Higher Education (QAA) of the United Kingdom, which proposes developing expertise in product sales and business matters in optometry programs.³³ The competencies required by the General Optical Council (GOC) for professional registration include a section on the sale of ophthalmic products.⁹ Additionally, the WCO recommends addressing business models in optometry, marketing and merchandising, taxes and financial management, within the “professional responsibilities” section.³² Finally, the Optometry Examining Board of Canada (OEBC) lays out a field called “*practice management*” in which sound financial management of business must be proven, as well as having the physical and human resources necessary for a safe practice, managing workflow effectively and complying with local and municipal business laws.⁵

For the **2nd and 3rd rounds**, the 105 competencies identified in the 1st round were reduced to 56 competencies, to aid with the quantitative consultation and with measuring the consensus and the participants’ response stability for each of them. After the 2nd and 3rd rounds, consensus was reached on 43 competencies (77% of the total of 56). Out of these, the competencies with the highest ratings (#8, #19, #21, #37 and #38) can be considered to be the most important in the training of optometrists. They correspond to functions of primary visual care mentioned in the definitions of the optometric profession of the main national and international institutions.^{1,2,5,7} These results suggest a great deal of agreement between the viewpoint of the profession held by the different participants consulted and the current professional situation.

However, in 13 of the 56 competencies (23%) there was no consensus among the participants’ assessments. The lack of consensus is mainly due to statistically significant differences among the assessments of the different panels consulted. These competencies relate to both core and specific areas, which could indicate that participants with different professional activities or educational backgrounds put forward disparate assessments. Thus, the competency on basic

scientific knowledge (physics, chemistry, biochemistry and mathematics) (#1) is more highly valued by the panel of faculty members who are not optometrists, precisely those who teach this knowledge. The competency corresponding to knowledge of public health, healthcare management and epidemiology (#3) is rated higher by the panel of members of professional colleges, which are in charge of professional regulation, conveying to political and health authorities that optometrists are health professionals at the service of the population and the healthcare system. The competency on research skills (#5) scored lowest in the panel of optometrists practicing in visual care centers, possibly because they see little link between their daily work and research.

Similarly, the competencies dealing with the use of diagnostic (#9A) and therapeutic (#9B) eye drugs got their lowest scores from the panel of university faculty who are not optometrists, as they have no connection to clinical practice. This likely makes it difficult for them to link the impact of using these kinds of drugs to the quality and effectiveness in performing other competencies on which consensus was found among the panels (funduscopies or retinal examinations, differentiating normal from pathological, referral to other professionals). However, there is consensus among the rest of the panels on both competencies, which are highly valued by optometrists working in clinics and/or hospitals (probably due to their professional experience), as well as by members of professional colleges and university faculty optometrists. The latter two groups have been the most active in seeking recognition and integration of these competencies in professional practice, thus bringing it into line with the model in the English speaking world.^{5,7,9}

In the competencies dealing with optometric care in ophthalmic surgery (#10) and with performing advanced visual examinations (#29), the greatest differences are found between professionals working in ophthalmology clinics and hospitals (with the highest ratings) and those working in visual care centers (with the lowest ratings). These differences are probably due to the former being familiar with this technology and aware of its contribution to their daily work in a hospital environment, while the latter do not usually have access to the technology for advanced visual examinations; they likely don’t consider this competency relevant since they don’t have the chance to handle this technology or treat patients in this manner. However, this situation may change with the introduction of this technology, which will grant more professionals access to it in the medium or long term.

The competency on the design and implementation of programs for education, prevention, and care of visual health and ergonomics (#45) is highly valued by the panel of professional College’s members, which is understandable since this competency is one of the main functions of these organizations. However, optometrists practicing in ophthalmology clinics and hospitals do not consider it as important.

The panel made up of optometrists working in ophthalmology clinics and hospitals gave one of the lowest ratings to the competencies relating to knowledge of economics and accounting, management and running small and medium-sized enterprises (SMEs) (#53), and to knowledge of product marketing and merchandising (#54), in contrast to the ratings given by the rest of the panels of participants. The difference may be due to the fact that this group practices their profession as employees in a public or private hospital

environment, in which the marketing of products and services offered does not usually depend directly on them. These two competencies are highly regarded by the panel made up of members of professional Colleges, who are aware of the dual orientation (health and business) of the profession.

Finally, the competency on the management of sensitive information, data protection and confidentiality (#55), is poorly rated by the panel of optometrists in ophthalmology clinics and hospitals, as opposed to the opinion of the panels of professional colleges and university faculty optometrists. This difference may be influenced by the former's work in companies under managers who are in charge of making sure these requirements are met throughout the company, while for the latter two panels it is part of their duties.

Out of the 13 competencies that did not reach consensus, 8 showed stability in the responses received between the 2nd and 3rd rounds (#1, #3, #10, #29, #29, #44, #45, #53 and #55). This suggests that even if more rounds were conducted, the assessments would most likely not change or reach a higher level of consensus, so they were taken as final assessments,^{13,15} and a further round of consultation was thought unnecessary. Moreover, response stability was not found among the panels of participants for 5 competencies (#5, #9A #9B, #14 and #54), mainly because in 4 of them (#5, #9A, #9B and #14), the participants' opinions changed by more than 25%. This implies that, if further rounds of consultation were carried out, it is possible that their responses would continue to shift. Given that this is a sufficiently small percentage of items (9% of the 56 final competencies), a new round of consultation was not believed to be justified either.

The results obtained in our study could be of interest for future academic debates focused on the improvement of Optometry education in Spain. For example, the current Optometry curriculum in Spain devotes 25% of the credits to the teaching of the "basic sciences" (item #1), but our results suggest that this percentage exceeds that of other relevant items rated with higher importance scores (consensus or non-consensus), such as items #9A or #9B. This example of unbalanced dedication reflects the importance that this faculty profile retained in the design of the curriculum, a situation similar to what happened in other reference models in Optometric education, such as in the UK in the 1990s."

Limitations of the study

No study is free of limitations. The selection of the panels of participants is important in a Delphi study. In this paper, while the panels linked to professional practice and professional colleges of optometrists were composed of experts from any geographical origin in Spain, panels related to the university were only composed of participants associated to the University of Valladolid (faculty members and students). This is because the main objective of the study was to reach a consensus on a set of competencies that would guide the revision of the curriculum taught at that university. The geographical limitation of some of the panels of participants should have a minor impact on the extrapolation of the results. On the other hand, the number of participants was not the same for all panels; e.g., 11 optometrist faculty members took part, compared to the 22 participants in the

student panel. This lack of homogeneity is justified¹⁸ because in this case there were no more university faculty in the UVa Degree in Optics and Optometry who met the required qualifications for panel 4. Meanwhile, all final year students of the degree were included in panel 6, anticipating that some participants might drop out over the course of the successive rounds of the study.²⁴ The high response rate and the rigorous statistical analysis mean that this disparity in the number of participants in the different panels has a reduced impact on the competencies identified.

Conclusions

The different panels of participants representing the academic and professional environment have identified a set of 56 significant professional competencies for the practice of the optometric profession that should be included in the training program of the Degree in Optics and Optometry at the University of Valladolid. Most (72%) of these competencies are already included in the current curriculum, but the incorporation of those that are not (28%) in future curricula will improve the education and training of graduate optometrists. Likewise, there are discrepancies on the importance of some competencies among the different panels of participants, which should also be taken into account in future curricula. The results of this Delphi study provide a set of relevant competencies that could be useful for updating the Degree in Optics and Optometry curriculum at any Spanish university, in order to improve its suitability to the optometrist's current and future professional environment, and to guarantee the best preparation of graduates for the changing professional reality.

Authorship

Conceptualization, GRZ, AGN and RMH; Investigation: GRZ, AGN and RMH; Methodology GRZ, AGN; Software GRZ, RMH; Validation RMH AGN; Formal analysis GRZ, RMH, AGN; Writing - original draft GRZ; Writing - review & editing GRZ, AGN, RMH.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Submission declaration

The authors certify that the work has not been published, nor is it in the process of being considered for publication in any other journal.

Declaration of Competing Interest

The authors declare that there is no conflict of interest.

Acknowledgments

The authors are sincerely grateful for the participation of the panels' members, without whose collaboration this work would have never been possible.

References

1. Ley 44/2003, de 21 de noviembre, de ordenación de las profesiones sanitarias, Boletín Oficial del Estado, núm. 280, del 22 de noviembre de 2003 (2003).
2. *World Council of Optometry. A Global Competency-Based Model For the Scope of Practice in Optometry.* 2015. London.
3. Orden CIN/727/2009, de 18 de marzo, por la que se establecen los requisitos para la verificación de los títulos universitarios oficiales que habiliten para el ejercicio de la profesión de Óptico-Optometrista, Boletín Oficial del Estado, núm. 73, del 26 de marzo de 2009 (2009).
4. *Agencia Nacional de la Evaluación de la Calidad y Acreditación (ANECA). Libro Blanco del Título de Grado en Óptica y Optometría.* Madrid; 2005.
5. *Optometry Examining Board of Canada. National Competency Profile For Entry-Level Optometry.* 2015.
6. Cane D, Penny M, Marini A, Hynes T. Updating the competency profile and examination blueprint for entry-level optometry in Canada. *Canad J Optom.* 2018;80(2):25–34. <https://doi.org/10.15353/cjo.80.267>.
7. Kiely PM, Slater J. Optometry Australia Entry-level Competency Standards for Optometry. *Clin Exp Optom.* 2014;98(1):65–89. <https://doi.org/10.1111/cxo.12216>.
8. General Optical Council. *Fit to the future: Lifelong learning review. Continuing Education and Training Consultation.* 2018. London.
9. General Optical Council. *Optometry Core Competencies (Stage 1 & 2 Combined).* 2011. London.
10. Govaerts MJ. Educational competencies or education for professional competence? *Med Educ.* 2008;42(3):234–236. <https://doi.org/10.1111/j.1365-2923.2007.03001.x>.
11. Frank JR, Snell LS, Cate OT, Holmboe ES, Carraccio C, Swing SR, et al. Competency-based medical education: theory to practice. *Med Teach.* 2010;32(8):638–645. <https://doi.org/10.3109/0142159X.2010.501190>.
12. Gould D, Kelly D, White I, Chidgey J. Training needs analysis. A literature review and reappraisal. *Int J Nurs Stud.* 2004;41(5):471–486. <https://doi.org/10.1016/j.ijnurstu.2003.12.003>.
13. Landeta J. *El método Delphi. Una técnica de previsión de la incertidumbre.* Barcelona: Editorial Ariel, S.A.; 1999.
14. Silverman D. *Qualitative Research.* London, United Kingdom: Sage; 2016.
15. Linstone HA, Turoff M. The delphi method. *Techniques and Applications.* MA: Addison-Wesley Reading; 2002.
16. Charro E, Plaza S, Gómez-Niño Á. Using the Delphi technique to improve science education in Spain. In: Bolte C, Holbrook J, Mamlok-Naaman R, Rauch F, eds. *Science TeacherS Continous Professional Development in Europe: Case Studies from the PROFILES Project.* Freie Universität Berlin: Alpen-Adria-Universität Klagenfurt; 2014:31–37.
17. Bonner A, Stewart G. Development of competency based standards: an application of the Delphi research technique. *Nurse Res.* 2001;9(1):63–73. <https://doi.org/10.7748/nr2001.10.9.1.63.c6176>.
18. Alonso Pérez L, Landeta Rodríguez J. Implementation of a nursing competency assessment system in public hospitals. *Rev Dir Admin Empresas.* 2014;(21):141–155.
19. Stewart J, O'Halloran C, Harrigan P, Spencer JA, Barton JR, Singleton SJ. Identifying appropriate tasks for the preregistration year: modified Delphi technique. *Br Med J.* 1999;319(7204):224–229. <https://doi.org/10.1136/bmj.319.7204.224>.
20. Myint J, Edgar D, Kotecha A, Crabb D, Lawrenson J. Development of a competency framework for optometrists with a specialist interest in glaucoma. *Eye.* 2010;24(9):1509–1514. <https://doi.org/10.1038/eye.2010.62>.
21. Shah K, Naidoo K, Loughman J. Development of socially responsive competency frameworks for ophthalmic technicians and optometrists in Mozambique. *Clin Exp Optom.* 2016;99(2):173–182. <https://doi.org/10.1111/cxo.12282>.
22. Carneiro V, Jorge J. Competencies and training needs of the Portuguese optometrists- a national inquiry. *J Optom.* 2020;13(2):88–95. <https://doi.org/10.1016/j.optom.2019.12.003>.
23. Hasson F, Keeney S, McKenna H. Research guidelines for the Delphi survey technique. *J Adv Nurs.* 2000;32(4):1008–1015. <https://doi.org/10.1046/j.1365-2648.2000.t01-1-01567.x>.
24. Okoli C, Pawlowski SD. The Delphi method as a research tool: an example, design considerations and applications. *Inform Manage.* 2004;42(1):15–29. <https://doi.org/10.1016/j.im.2003.11.002>.
25. Geist MR. Using the Delphi method to engage stakeholders: a comparison of two studies. *Eval Program Plann.* 2010;33(2):147–154. <https://doi.org/10.1016/j.evalproplan.2009.06.006>.
26. Delbecq AL, Van de Ven AH, Gustafson DH. *Group Techniques For Program Planning: A Guide to Nominal Group and Delphi Processes.* Glenview, Illinois, USA: Scott, Foresman and Company; 1975.
27. Hsu CC, Sandford BA. The Delphi technique: making sense of consensus. *Pract Assess Res Eval.* 2007;12(10):1–8.
28. Balasubramanian R, Agarwal D. Delphi technique-A review. *Int J Public Health Dent.* 2013;3(2):16–25.
29. Universidad de Valladolid. *Memoria Del Programa Verifica /ANECA Del Grado en Óptica y Optometría De La Universidad de Valladolid.* España: Valladolid; 2014.
30. Selvarajah S, Tso MOM. Principles and guidelines of curriculum for para-ophthalmic vision specialist education: presented by international task force on para-ophthalmic vision specialist education-on behalf of the International Council of Ophthalmology (ICO). *Klinische Monatsblätter für Augenheilkd.* 2006;223(SUPPL. 6). <https://doi.org/10.1055/s-2006-951845>.
31. International Council of Ophthalmology. *Joint Commission of Allied Health Personnel in Ophthalmology. International Core Curriculum for Ophthalmic Assistants.* California: San Francisco; 2009.
32. World Council of Optometry. *Curricular Support Elements For an Optometry Programme.* 2016. London.
33. The Quality Assurance Agency for Higher Education's (QAA). *Subject Benchmark Statement. Optometry UK Quality Code for Higher Education. Part A: Setting and Maintaining Academic Standards.* 2015. Gloucester, U.K.